

L Number	Hits	Search Text	DB	Time stamp
1	23230	uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))	USPAT; IBM_TDB	2004/04/13 11:34
2	66727	access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)	USPAT; IBM_TDB	2004/04/13 11:22
3	1981	(uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)	USPAT; IBM_TDB	2004/04/13 11:43
4	694	(access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1)))	USPAT; IBM_TDB	2004/04/13 11:24
5	39509	object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)	USPAT; IBM_TDB	2004/04/13 11:28
6	205	((access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1)))) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))	USPAT; IBM_TDB	2004/04/13 11:28
7	198	((access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1)))) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and (remot\$2 external\$2 channel\$1 path\$1 communication\$1)	USPAT; IBM_TDB	2004/04/13 11:29
8	165	((access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1)))) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and (remot\$2 external\$2) and (channel\$1 path\$1 communication\$1)	USPAT; IBM_TDB	2004/04/13 11:29
9	110353	(user\$2 client\$2 requestor\$2) near3 (information\$1 name\$1 organization\$1 data identit\$3 member\$1 group\$1)	USPAT; IBM_TDB	2004/04/13 11:44

09/465,514

10	152	(((access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and (remot\$2 external\$2) and (channel\$1 path\$1 communication\$1)) and ((user\$2 client\$2 requestor\$2) near3 (information\$1 name\$1 organization\$1 data identit\$3 member\$1 group\$1)))	USPAT; IBM_TDB	2004/04/13 11:34
11	1792	uuid uid ((universal\$1) near3 (id identit\$3 identifier\$1 identification\$1))	USPAT; IBM_TDB	2004/04/13 11:42
12	53	(((access\$2 near3 (control\$3 manage\$4 protocol\$1 polic\$3)) and ((uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) near3 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (uuid uid ((universal\$1 unique\$2) near2 (id identit\$3 identifier\$1 identification\$1))) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and (remot\$2 external\$2) and (channel\$1 path\$1 communication\$1)) and ((user\$2 client\$2 requestor\$2) near3 (information\$1 name\$1 organization\$1 data identit\$3 member\$1 group\$1))) and (uuid uid ((universal\$1) near3 (id identit\$3 identifier\$1 identification\$1)))	USPAT; IBM_TDB	2004/04/13 11:34
13	3055	uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))	USPAT; IBM_TDB	2004/04/13 11:43
15	262	((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) near5 (database\$1 rom ram memory storage\$1 eeprom eeprom))	USPAT; IBM_TDB	2004/04/13 12:25
16	96	((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) near5 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))	USPAT; IBM_TDB	2004/04/13 11:44
17	79097	((user\$2 client\$2 requestor\$2) near3 (information\$1 name\$1 organization\$1 member\$5 group\$1))	USPAT; IBM_TDB	2004/04/13 11:45
18	71	(((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) near5 (database\$1 rom ram memory storage\$1 eeprom eeprom)) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and ((user\$2 client\$2 requestor\$2) near3 (information\$1 name\$1 organization\$1 member\$5 group\$1))	USPAT; IBM_TDB	2004/04/13 12:20
20	3622	((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.	USPAT; IBM_TDB	2004/04/13 12:25

21	58	((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.))	USPAT; IBM_TDB	2004/04/13 12:25
22	12	((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.)) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))	USPAT; IBM_TDB	2004/04/13 12:25
23	12	((((uuid guid ((universal\$1 global\$2) near3 (id identit\$3 identifier\$1 identification\$1))) and (((713/154) or (713/155) or (713/160) or (713/161) or (713/165) or (713/166) or (713/167) or (713/168) or (713/169) or (713/170) or (711/100) or (711/101) or (711/102) or (711/103) or (711/104) or (711/105) or (709/314) or (709/315) or (709/316)).CCLS.)) and (object\$1 near3 (database\$1 rom ram memory storage\$1 eeprom eeprom))) and (database\$1 rom ram memory storage\$1 eeprom eeprom))	USPAT; IBM_TDB	2004/04/13 12:25